

SDS Revision Date: 06/05/2019

Section 1 Identification of the substance/mixture and of the company/undertaking

Product Name: Acid Neutralizing Absorbent

Manufacturer Spill Magic Inc.

630 Young Street

Santa Anna, CA 92705

Telephone number:

Information: (800) 835-2263 24 hr Emergency: (800) 835-2263

Recommended uses: Absorbent and Disinfecting Material

Recommended Restriction: Use only as directed

Date of Preparation: December 23, 2014

Section 2. Hazard identification of the product

2.1. Classification of the substance or mixture

Eye Irrit. 2;H319 Causes serious eye irritation.

2.2. Label elements



Warning!

H319 Causes serious eye irritation

Prevention]:

P264 W ash thoroughly after handling.

P280 W ear protective gloves / eye protection / face protection.

[Response]:

P305+351+338 IF IN EYES: Rinse continuously with water for several minutes. Remove contact lenses if present and easy to do - continue rinsing.

P337+313 If eye irritation persists: Get medical advice / attention.

[Storage]:

No GHS storage statements

[Disposal]:

No GHS disposal statements

Section 3. Composition / Information on Ingredients

This product contains the following substances that present a hazard within the meaning of the relevant State and Federal Hazardous Substances regulations.

SDS Revision Date: 06/05/2019

Ingredient/Chemical Designations	Weight %	GHS Classification	Notes
Amorphous Alumina Silicate Perlite CAS Number: 0093763-70-3	50 - 75		[1][2]
Sodium carbonate CAS Number: 0000497-19-8	25 - 50	Eye Irrit. 2;H319	[1]

^[1] Substance classified with a health or

environmental hazard. [2] Substance with a workplace exposure limit.

Section 4. First-Aid Measures

4.1. Description of first aid measures

General: In all cases of doubt, or when symptoms persist, seek medical attention. Never give anything by mouth to an unconscious person.

Inhalation: Remove the person to fresh air. Get medical attention if irritation or discomfort persists.

Eyes: Irrigate copiously with clean water for at least 15 minutes, holding the eyelids apart and seek medical attention. If contacts in eyes, carefully remove if possible before or during rinsing.

Skin: Wash with plenty of soap and water. Cover the irritated skin with an emollient. Remove and wash contaminated clothing and shoes. Get medical attention if irritation persists.

Ingestion: Drink large amounts of water. Do not induce vomiting. Get medical attention

4.2. Most important symptoms and effects, both acute and delayed

Overview: Potential Acute Health Effects: Hazardous in case of skin contact (irritant), of eye contact (irritant), of ingestion, of inhalation (lung irritant). Target Organs: Eyes, skin, and lungs

Potential Chronic Health Effects: Repeated or prolonged exposure to the substance can produce target organ damage. See section 2 for further details.

Eyes: Causes serious eye irritation.

Section 5 Fire-Fighting Measures

- **5.1 Extinguishing media:** Substance is noncombustible; use agent most appropriate to extinguish surrounding fire.
- **5.2. Special hazards arising from the substance or mixture:** Hazardous decomposition: Reacts with Hydrofluoric Acid to form toxic silicon tetra fluoride gas, carbon monoxide, carbon dioxide, toxic fumes of sodium oxide.
- 5.3. Advice for fire-fighters: Substance is noncombustible; use agent most appropriate to extinguish surrounding fire.

Sodium carbonate may explode when applied to red-hot aluminum. Sodium carbonate can ignite and burn fiercely in contact with fluoride. Sodium carbonate in contact with fluorine decomposed at ordinary temperature with incandescence.

None applicable if product is unused. If used to absorb flammable liquids, then consult SDS of the flammable liquid.

^[3] PBT-substance or vPvB-substance.
*The full texts of the phrases are shown in Section 16.

SDS Revision Date: 06/05/2019

Section 6. Accidental Release Measures

- **6.1. Personal precautions, protective equipment and emergency procedures:** Put on appropriate personal protective equipment (see section 8).
- **6.2. Environmental precautions:** Use good personal hygiene practices. Wash hands before eating, drinking, smoking or using toilet. Promptly remove soiled clothing and wash thoroughly before reuse.
- **6.3. Methods and material for containment and cleaning up:** Sweep with broom or vacuum into a suitable disposal container. W ear appropriate personal protection. Avoid creating dusty conditions. Comply with state and local regulations for disposal of these products. If used to collect liquid material, dispose in compliance with SDS of collected liquid.

Section 7. Handling and Storage

7.1. Precautions for safe handling: Wear appropriate personal protection. Remove material after absorption has taken place. Reseal container after use to prevent evaporation of wetting agent. W ash thoroughly after use.

See section 2 for further details. - [Prevention]:

7.2. Conditions for safe storage, including any incompatibilities: Handle containers carefully to prevent damage and spillage.

Incompatible materials: Hydrofluoric Acid, strong oxidizing agents, metals, fluorine, hydrogen peroxide, phosphorus pentoxide, 2, 4, 6-trinitrotoluene, 2, -4-dinitrotoluene, lime dust + moisture.

Store in a closed container in a dry place away from incompatible materials. See section 2 for further details. - [Storage]:

7.3. Specific end use(s): No data available

Section 8. Exposure Controls / Personal Protection

8.1 Control Parameters Exposure guidelines:

CAS No.	Ingredient	Source	Value
0000497-19-8	Sodium carbonate	OSHA	No Established Limit
		ACGIH	No Established Limit
		NIOSH	No Established Limit
		Supplier	No Established Limit
0093763-70-3	Amorphous Alumina Silicate Perlite	OSHA	TW A 15 mg/m3 (total) TW A 5 mg/m3 (resp)
		ACGIH	No Established Limit
		NIOSH	TW A 10 mg/m3 (total) TW A 5 mg/m3 (resp)
		Supplier	No Established Limit

SDS Revision Date: 06/05/2019

Carcinogen Data

CAS No.	Ingredient	Source	Value
0000497-19-8	Sodium carbonate	OSHA	Select Carcinogen: No
		NTP	Known: No; Suspected: No
		IARC	Group 1: No; Group 2a: No; Group 2b: No; Group 3: No; Group 4: No;
0093763-70-3	Amorphous Alumina Silicate Perlite	OSHA	Select Carcinogen: No
		NTP	Known: No; Suspected: No
		IARC	Group 1: No; Group 2a: No; Group 2b: No; Group 3: No; Group 4: No;

8.2. Exposure controls

Respiratory: We recommend use of NIOSH approved dust respirator.

Eyes: Safety glasses/goggles are recommended.

Skin: Wear gloves and body covering clothing to prevent skin exposure.

Engineering Controls: A system of local and/or general exhaust may be used to keep exposures as low as

possible.

Other Work Practices: Use good personal hygiene practices. W ash hands before eating, drinking, smoking or

using toilet. Promptly remove soiled clothing and wash thoroughly before reuse.

See section 2 for further details: Prevention

Section 9. Physical and Chemical Properties

Appearance White or Buff aggregate or powder Solid

Odor Odorless
Odor threshold
Not Measured

pH 11.3

Initial boiling point and boiling range1600 degrees FFlash PointNon-flammableEvaporation rate (Ether = 1)Not MeasuredFlammability (solid, gas)Not Applicable

Upper/lower flammability or explosive limits Lower Explosive Limit: Not Measured

Upper Explosive Limit: Not Measured

Vapor pressure (Pa) Negligible **Vapor Density** Not Measured **Specific Gravity** Neutral=2.28 Solubility in Water 8% Slightly Partition coefficient n-octanol/water Not Measured **Auto-ignition temperature** Not Measured **Decomposition temperature** Not Measured Viscosity (cSt) Not Measured

9.2. Other information

No other relevant information.

SDS Revision Date: 06/05/2019

Section 10. Stability and Reactivity

- 10.1 Reactivity: Hazardous Polymerization will not occur.
- 10.2. Chemical stability: Stable under normal circumstances.
- 10.3. Possibility of hazardous reactions: No data available.
- 10.4. Conditions to avoid: Incompatible materials, dust generation, excess heat, moist air.
- **10.5. Incompatible materials:** Hydrofluoric Acid, strong oxidizing agents, metals, fluorine, hydrogen peroxide, phosphorus pentoxide, 2, 4, 6- trinitrotoluene, 2, -4-dinitrotoluene, lime dust + moisture
- **10.6. Hazardous decomposition products:** Reacts with Hydrofluoric Acid to form toxic silicon tetra fluoride gas, carbon monoxide, carbon dioxide, toxic fumes of sodium oxide.

Section 11. Toxicological Information

Acute toxicity

Ingredient	Oral LD50,	Skin LD50,	Inhalation	Inhalation	Inhalation
	mg/kg	mg/kg	Vapor LD50, mg/L/4 hr	Dust/Mist LD50, mg/L/4hr	Gas LD50, ppm
Amorphous Alumina Silicate	No data	No data	No data	No data	No data
Perlite - (93763-70-3)	available	available	available	available	available
Sodium carbonate - (497-19-8)	4,090.00, Rat -	No data	No data	No data	No data
	Category: 5	available	available	available	available

Note: When no route specific LD50 data is available for an acute toxin, the converted acute toxicity point estimate was used in the calculation of the product's ATE (Acute Toxicity Estimate).

Classification	Category	Hazard Description	
Acute toxicity (oral)		Not Applicable	
Acute toxicity (dermal)		Not Applicable	
Acute toxicity (inhalation)		Not Applicable	
Skin corrosion/irritation		Not Applicable	
Serious eye damage/irritation	2	Causes serious eye irritation.	
Respiratory sensitization		Not Applicable	
Skin sensitization		Not Applicable	
Germ cell mutagenicity		Not Applicable	
Carcinogenicity		Not Applicable	
Reproductive toxicity		Not Applicable	
STOT-single exposure		Not Applicable	
STOT-repeated exposure		Not Applicable	
Aspiration hazard		Not Applicable	

Section 12. Ecological Information

12.1 Toxicity: No additional information provided for this product. See Section 3 for chemical specific data.

SDS Revision Date: 06/05/2019

Aquatic Ecotoxicity

Ingredient	96 hr LC50 fish,	48 hr EC50	ErC50 algae,
	mg/l	crusta	mg/l
Amorphous Alumina Silicate Perlite -	Not Available	Not Available	Not Available
Sodium carbonate - (497-19-8)	300.00, Lepomis	265.00, Daphnia	242.00 (72 hr), Freshwater
	macrochirus	magna	Algae

12.2. Persistence and degradability: There are no data available on the preparation itself

12.3. Bioaccumulative potential: Not Measured

12.4. Mobility in soil: No data available.

12.5. Results of PBT and vPvB assessment: This product contains no PBT/vPvB chemicals.

12.6. Other adverse effects: No data available

Section 13. Disposal Considerations

13.1. Waste treatment methods: Observe all federal, state and local regulations when disposing of this substance.

Section 14. Transport Information

	14.1 UN Number	14.2 Proper shipping name	14.3 Hazard Class	14.4 Packing Group	14.5 Environmental Hazard
DOT	Not Applicable	Not Regulated	Not Applicable	Not Applicable	No
IMDG	Not Applicable	Not Regulated	Not Applicable	Not Applicable	No
IATA	Not Applicable	Not Regulated	Not Applicable	Not Applicable	No

14.6 Special precautions: No further information

Section 15. Regulatory Information

Regulatory Overview: The regulatory data in Section 15 is not intended to be all-inclusive, only selected regulations are represented.

Toxic Substance Control Act (TSCA): All components of this material are either listed or exempt from listing on the TSCA Inventory.

WHMIS Classification: D2B

US EPA Tier II Hazards:

Fire: No Sudden Release of Pressure: No Reactive: No Immediate (Acute): Yes

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

SDS Revision Date: 06/05/2019

EPCRA 302 Extremely Hazardous: To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

EPCRA 313 Toxic Chemicals: To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

Proposition 65 - Carcinogens (>0.0%): To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

Proposition 65 - Developmental Toxins (>0.0%): To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

Proposition 65 - Female Repro Toxins (>0.0%): To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

Proposition 65 - Male Repro Toxins (>0.0%): To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

N.J. RTK Substances (>1%): Amorphous Alumina Silicate Perlite

Penn RTK Substances (>1%): Amorphous Alumina Silicate Perlite

Section 16. Other Information

The information and recommendations contained herein are based upon data believed to be correct. However, no guarantee or warranty of any kind, expressed or implied, is made with respect to the information contained herein. We accept no responsibility and disclaim all liability for any harmful effects which may be caused by exposure to our products. Customers/users of this product must comply with all applicable health and safety laws, regulations, and orders.

The full text of the phrases appearing in section 3 is: H319 Causes serious eye irritation.

This is the first revision in the GHS SDS format June 5, 2019. Original version 12/23/2014

The information herein is presented in good faith and believed to be accurate as of the effective date given. However, no warranty, expressed or implied, is given. It is the buyer's responsibility to ensure that its activities comply with Federal, State or provincial and local laws.

End of Document