

SAFETY DATA SHEET

1. Identification

Product identifier	Antiseptic Spray
Other means of identification	Not available.
Recommended use	Not available.
Recommended restrictions	None known.
Manufacturer/Importer/Supplier/E	Distributor information
Manufacturer	
Manufacturer:	Safetec of America, Inc.
	887 Kensington Avenue
	Buffalo, NY 14215
Company Telephone:	1-716-895-1822
E-mail Address:	www.safetec.com
Emergency Telephone:	1-800-255-3924

Emergency Telephone: Supplier

Label elements

2. Hazard(s) identification

Physical hazards	Flammable liquids	Category 3
Health hazards	Serious eye damage/eye irritation	Category 2A
	Specific target organ toxicity, single exposure	Category 3 narcotic effects
Environmental hazards	This mixture does not meet the classification c	riteria according to OSHA HazCom 2012.
OSHA defined hazards	This mixture does not meet the classification c	riteria according to OSHA HazCom 2012.

Refer to Manufacturer

Signal word	Danger
Hazard statement	Flammable liquid and vapor. Causes serious eye irritation. May cause drowsiness or dizziness.
Precautionary statement	
Prevention	Keep away from heat/sparks/open flames/hot surfaces No smoking. Ground/bond container and receiving equipment. Use explosion-proof electrical/ventilating/lighting equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Avoid breathing mist or vapor. Wash hands thoroughly after handling. Use only outdoors or in a well-ventilated area. Wear protective gloves/protective clothing/eye protection/face protection.
Response	If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. If inhaled: Remove person to fresh air and keep comfortable for breathing. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Call a poison center/doctor if you feel unwell. If eye irritation persists: Get medical advice/attention. In case of fire: Use appropriate media for extinction.
Storage	Keep cool. Store in a well-ventilated place. Keep container tightly closed.
Disposal	Dispose of contents/container in accordance with local/regional/national/international regulations.
Hazard(s) not otherwise classified (HNOC)	None known.
Supplemental information	None.

3. Composition/information on ingredients

Mixtures

Chemical name	Common name and synonyms	CAS number	%
Isopropanol	Dimethyl carbinol 2-Propanol	67-63-0	50
	Isopropyl alcohol Propan-2-ol		
Benzocaine	Not available	94-09-7	5.2
Benzalkonium Chloride	Not available	63449-41-2	0.1
4. First-aid measures			
nhalation	If breathing is difficult, remove to fresh air and ke Get medical attention if symptoms persist.	eep at rest in a position co	mfortable for breath
Skin contact	Wash off with warm water and soap. Get medica	al attention if symptoms oc	cur.
Eye contact	If in eyes: Rinse cautiously with water for severa easy to do. Continue rinsing. Get medical attenti		t lenses, if present a
ngestion	If swallowed, rinse mouth with water (only if the without advice from poison control center. Get m		ot induce vomiting
Most important symptoms/effects, acute and delayed	Causes serious eye irritation. Frequent or prolonged contact may defat and dry the skin, leading t discomfort and dermatitis. May cause drowsiness or dizziness.		
ndication of immediate nedical attention and special reatment needed	Treat symptomatically.		
5. Fire-fighting measures			
Suitable extinguishing media	Water. Water Spray or Fog. Dry chemicals. Foa	m. Carbon dioxide (CO2).	
Jnsuitable extinguishing nedia	Do not use water jet as an extinguisher, as this will spread the fire.		
Specific hazards arising from he chemical	The product is combustible, and heating may generate vapors which may form explosive vapor/a mixtures. Thermal decomposition or combustion may liberate toxic gases or fumes.		
Special protective equipment and precautions for firefighters	Self-contained breathing apparatus and full protective clothing must be worn in case of fire.		
Fire fighting equipment/instructions	Cool containers exposed to heat with water spray and remove container, if no risk is involved.		
General fire hazards	Flammable liquid and vapor.		
Hazardous combustion products	Carbon oxides. Other unidentified organic compounds.		
6. Accidental release meas	sures		
Personal precautions, protective equipment and emergency procedures	Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Keep unnecessary personnel away. Wear appropriate personal protective equipment. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. For personal protection, see section 8 of the SDS.		
Methods and materials for containment and cleaning up	Absorb spill with vermiculite or other inert materi waste.	al, then place in a sealed o	container for chemic
	Large Spills: Flush with plenty of water. Prevent confined areas. Dike for later disposal.	entry into waterways, sewe	er, basements or
	Small Spills: Clean up with absorbent material (eremove residual contamination.	e.g. cloth, fleece). Clean su	urface thoroughly to
Environmental precautions	Avoid discharge into drains, water courses or on	to the ground.	
7. Handling and storage			
Precautions for safe handling	Keep away from heat/sparks/open flames/hot su ignition. Take precautionary measures against s receiving equipment. Use explosion-proof equipr do not eat, drink or smoke. Wear appropriate pe or vapor. Avoid contact with eyes, skin, and cloth thoroughly after handling.	tatic discharges. Ground/b nent. Use only non-sparki rsonal protective equipme	ond container and ng tools. When usin nt. Avoid breathing

8. Exposure controls/personal protection

11-----0 4:0 .

dividual protection measures, such as personal protective equipment Eye/face protection Wear safety glasses with side shields (or goggles). Skin protection Hand protection Hand protection Chemical resistant gloves recommended. Other Wear chemical-resistant gloves, footwear, and protective clothing appropriate for the risk of exposure. Contact health or safety professional or manufacturer for specific information. Respiratory protection If engineering controls do not maintain airborne concentrations below recommended exposure limits (where applicable) or to an acceptable level (in countries where exposure limits have not been established), an approved respirator must be worn. Contact health and safety professional manufacturer for specific information. Thermal hazards Wear appropriate thermal protective clothing, when necessary. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. Physical and chemical properties	US. OSHA Table Z-1 Limits Components	Туре		,	Value
US. ACGIH Threshold Limit Values Components Type Value Isopropanol (CAS 67-63-0) STEL TWA 400 ppm 200 ppm US. NIOSH: Pocket Guide to Chemical Hazards Components Type Value Isopropanol (CAS 67-63-0) STEL Supropanol (CAS 67-63-0) STEL TWA 1225 mg/m3 500 ppm 300 mg/m3 400 ppm ological limit values ACGIH Biological Exposure Indices Components Value 1225 mg/m3 500 ppm TWA 500 ppm 980 mg/m3 400 ppm ological limit values ACGIH Biological Exposure Indices Components Value Determinant Specimen Sampling Time isopropanol (CAS 67-63-0) 40 mg/l Acetone Urine * * - For sampling details, please see the source document. oppropriate engineering texplosion-proof general and local exhaust ventilation. Introls * * dividual protection measures, such as personal protective equipment * * * Eye/face protection Wear safety glasses with side shields (or goggles). * * Skin protection Hand protection Chemical resistant gloves recommended. * * Other Wear chemical-resistant gloves, footwear, and protective clothing appropriate for the risk of exposure. Contact health or safety professional or manufacturer for specific information. *	Isopropanol (CAS 67-63-0)	PEL			980 mg/m3
Components Type Value Isopropanol (CAS 67-63-0) STEL TWA 400 ppm TWA 200 ppm US. NIOSH: Pocket Guide to Chemical Hazards Components Type Value Isopropanol (CAS 67-63-0) STEL 1225 mg/m3 500 ppm Isopropanol (CAS 67-63-0) STEL 1225 mg/m3 400 ppm Isopropanol (CAS 67-63-0) 40 mg/l Accence Urine • Isopropanol (CAS 67-63-0) 40 mg/l Accence Urine • * - For sampling details, please see the source document. Explosion-proof general and local exhaust ventilation. • * - For sampling details, please see the source document. Explosion-proof general and local exhaust ventilation. • * - For sampling details, please see the source document. • • • * - For sampling details, please see the source document. • • • Skin protection measures, such as personal protective equipment • • • Eyel/face protection Wear chemical-resistant gloves, footwear, and protective clothing appropriate for the risk of exposure. Contact health or safety professional or manufacturer for specific information. Respiratory protec					400 ppm
Isopropanol (CAS 67-63-0) STEL 400 ppm TWA 200 ppm US. NIOSH: Pocket Guide to Chemical Hazards Components Type Value Isopropanol (CAS 67-63-0) STEL 125 mg/m3 500 ppm TWA 980 mg/m3 400 ppm TWA 980 mg/m3 400 ppm Objectal limit values ACGIH Biological Exposure Indices Components Value Determinant Specime Sampling Time Isopropanol (CAS 67-63-0) 40 mg/l Acetone Urine * * - For sampling details, please see the source document. proprotate engineering Explosion-proof general and local exhaust ventilation. mirols dividual protection measures, such as personal protective equipment Eyeface protection Wear safety glasses with side shields (or goggles). Skin protection Hand protection Chemical resistant gloves, footwear, and protective clothing appropriate for the risk of exposure. Contact health or safety professional or manufacturer for specific information. Respiratory protection Wear safety glasses with side shields (or goggles). Skin protection Hand protection Chemical resistant gloves, footwear, and protective clothing appropriate for the risk of exposure. Contact health or safety professional or manufacturer for specific information. Respiratory protection Thermal hazards Wear appropriate thermal protective clothing, when necessary. Always observe good personal hygiene measures, such as washing after handling the material and before eating. diriking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. Physical and chemical properties pearance	US. ACGIH Threshold Lim				
TWA 200 ppm US, NIOSH: Pocket Guide to Chemical Hazards Components Type Value Isopropanol (CAS 67-63-0) STEL 1225 mg/m3 500 ppm TWA 980 mg/m3 400 ppm totogical limit values ACGIH Biological Exposure Indices Components Value Determinant Specimen Sampling Time Isopropanol (CAS 67-63-0) Value Determinant Specimen Sampling Time Sin protection Explosion-proof general and local exhaust ventilation. Determinant Explosion-proof	Components	Туре			Value
US. NIOSH: Pocket Guide to Chemical Hazards Components Type Value Isopropanol (CAS 67-63-0) STEL 1225 mg/m3 500 ppm TWA 980 mg/m3 400 ppm TWA 980 mg/m3 400 ppm Iological limit values ACGHI Biological Exposure Indices Components Value Determinant Specime Sampling Time Isopropanol (CAS 67-63-0) 40 mg/l Acetone Urine * * - For sampling details, please see the source document. propriate engineering Explosion-proof general and local exhaust ventilation. Introls Skin protection Wear safety glasses with side shields (or goggles). Skin protection Wear safety glasses with side shields (or goggles). Skin protection Wear safety glasses with side shields (or goggles). Skin protection Mean Chemical resistant gloves recommended. Other Wear chemical-resistant gloves, footwear, and protective clothing appropriate for the risk of exposure. Contact health or safety professional or manufacturer for specific information. Respiratory protection If engineering controls do not maintain airbome concentrations below recommended exposure limits (where applicable) or to an acceptable level (in countries where exposure limits have not been established), an approved respirator must be worm. Contact health or safety professional or manufacturer for specific information. Thermal hazards Wear appropriate thermal protective clothing, when necessary. entrols do not maintain airbone concentrations below recommended exposure limits (where applicable) or to an acceptable level (in countries where exposure limits have not been established), an approved respirator must be worm. Contact health and safety professional manufacturer for specific information. Thermal hazards Wear appropriate thermal protective clothing, when necessary. Always observe good personal hygiene measures, such as washing after handling the material and before eating, cirinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. Physical and chemical properties pearance	Isopropanol (CAS 67-63-0)	STEL			400 ppm
Components Type Value Isopropanol (CAS 67-63-0) STEL 1225 mg/m3 500 ppm isopropanol (CAS 67-63-0) TWA 980 mg/m3 400 ppm iological limit values XCGIH Biological Exposure Indices Section Sampling Time isopropanol (CAS 67-63-0) 40 mg/l Acetone Urine * * - For sampling details, please see the source document. Explosion-proof general and local exhaust ventilation. * propriate engineering introls Explosion-proof general and local exhaust ventilation. * * dividual protection measures, such as personal protective equipment Eye/face protection Wear safety glasses with side shields (or goggles). * Skin protection Hand protection Chemical resistant gloves recommended. Wear chemical-resistant gloves, footwear, and protective clothing appropriate for the risk of exposure. Contact health or safety professional or manufacturer for specific information. Respiratory protection If engineering controls do not maintain airborne concentrations below recommended exposure limits (where applicable) or to an acceptable level (in countries where exposure limits have not been established), an approved respirator must be worn. Contact health and safety professional manufacturer for specific information. Thermal hazards Wear appropriate thermal protective clothing		TWA			200 ppm
Isopropanol (CAS 67-63-0) STEL 1225 mg/m3 Isopropanol (CAS 67-63-0) STEL 500 ppm TWA 980 mg/m3 400 ppm ological limit values ACGIH Biological Exposure Indices state Components Value Determinant Specimen Sampling Time Isopropanol (CAS 67-63-0) 40 mg/l Acetone Urine * * - For sampling details, please see the source document. propriate engineering Explosion-proof general and local exhaust ventilation. * mitrols Explosion-proof general and local exhaust ventilation. * * dividual protection measures, such as personal protective equipment Eyelface protection Wear safety glasses with side shields (or goggles). Skin protection Hand protection Chemical resistant gloves recommended. Wear chemical-resistant gloves, footwear, and protective clothing appropriate for the risk of exposure. Contact health or safety professional or manufacturer for specific information. If engineering controls do not maintain airborne concentrations below recommended exposure limits (where applicable) or to an acceptable level (in countries where exposure limits have not been established), an approved respirator must be worn. Contact health and safety professional manufacturer for specific information. Thermal hazards Wear appropriate	US. NIOSH: Pocket Guide	to Chemical Hazards			
TWA 500 ppm 980 mg/m3 400 ppm ological limit values ACGIH Biological Exposure Indices Components Value Determinant Specimen Sampling Time Isopropanol (CAS 67-63-0) 40 mg/l Acetone Urine * * - For sampling details, please see the source document. * * poropriate engineering mitrols Explosion-proof general and local exhaust ventilation. * dividual protection measures, such as personal protective equipment * Eyelface protection Wear safety glasses with side shields (or goggles). Skin protection Hand protection contact health or safety professional or manufacturer for specific information. Respiratory protection If engineering controls do not maintain airborne concentrations below recommended exposure limits (where applicable) or to an acceptable level (in countries where exposure limits have not been established), an approved respirator must be wom. Contact health and safety professional manufacturer for specific information. Thermal hazards Wear appropriate thermal protective clothing, when necessary. emeral hygiene misiderations Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.	Components	Туре			Value
TWA 980 mg/m3 400 ppm ACGIH Biological Exposure Indices Components Value Determinant Specimen ACGIH Biological Exposure Indices Components Value Determinant Specimen Sampling Time isopropanol (CAS 67-63-0) 40 mg/t Acetone Urine * * - For sampling details, please see the source document. Explosion-proof general and local exhaust ventilation. * opropriate engineering introls Explosion-proof general and local exhaust ventilation. * dividual protection measures, such as personal protective equipment Eye/face protection Kear safety glasses with side shields (or goggles). * Skin protection Hand protection Chemical resistant gloves recommended. Vear chemical-resistant gloves, footwear, and protective clothing appropriate for the risk of exposure. Contact health or safety professional or manufacturer for specific information. Respiratory protection If engineering controls do not maintain airborne concentrations below recommended exposure limits (where applicable) or to an acceptable level (in countries where exposure limits have not been established), an approved respirator must be worn. Contact health and safety professional manufacturer for specific information. Thermal hazards Wear appropriate thermal protective clothing, when necessary. eneral hygiene misiderations Always observe good personal hygiene measures, such as washing after handling the material and b	Isopropanol (CAS 67-63-0)	STEL			1225 mg/m3
400 pm ological limit values ACGIH Biological Exposure Indices Determinant Specimen Sampling Time Isopropanol (CAS 67-63-0) 40 mg/l Acetone Urine * * - For sampling details, pleause see the source document. Barbon-proof general and local exhaust ventilation. * propriate engineering metrics Explosion-proof general and local exhaust ventilation. * dividual protection measures. such as personal protective equipment Explosion-proof general and local exhaust ventilation. Skin protection Wear safety glasses with side shields (or goggles). * Skin protection Mear chemical-resistant gloves recommended. Wear chemical-resistant gloves, footwear, and protective clothing appropriate for the risk of exposure. Contact health or safety professional or manufacturer for specific information. Respiratory protection If engineering controls do not maintain airborme concentrations below recommended exposure limits (where applicable) or to an acceptable level (in countries where exposure limits have not been established), an approved respirator must be worn. Contact health and safety professional manufacturer for specific information. Respiratory protection Wear appropriate thermal protective clothing, when necessary. Adveary sobserve good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or sm					
ACGIH Biological Exposure Indices Components Value Determinant Specimen Sampling Time Isopropanol (CAS 67-63-0) 40 mg/l Acetone Urine * * - For sampling details, please see the source document. * * * propriate engineering introls Explosion-proof general and local exhaust ventilation. * dividual protection measures, such as personal protective equipment Eye/face protection Wear safety glasses with side shields (or goggles). * Skin protection Hand protection Chemical resistant gloves recommended. Wear contact health or safety professional or manufacturer for specific information. If engineering controls do not maintain airborne concentrations below recommended exposure limits (where applicable) or to an acceptable level (in countries where exposure limits have not been established), an approved respirator must be wom. Contact health and safety professional manufacturer for specific information. Thermal hazards Wear appropriate thermal protective clothing, when necessary. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.		TWA			
ACGIH Biological Exposure Indices Components Value Determinant Specimen Sampling Time Isopropanol (CAS 67-63-0) 40 mg/l Acetone Urine * * - For sampling details, please see the source document. * * * oppopriate engineering mirrols Explosion-proof general and local exhaust ventilation. * odividual protection measures, such as personal protective equipment Eye/face protection Wear safety glasses with side shields (or goggles). * Skin protection Hand protection Chemical resistant gloves recommended. Wear chemical-resistant gloves, footwear, and protective for specific information. * Respiratory protection If engineering controls do not maintain airborne concentrations below recommended exposure limits (where applicable) or to an acceptable level (in countries where exposure limits have not been established), an approved respirator must be worn. Contact health and safety professional manufacturer for specific information. Thermal hazards Wear appropriate thermal protective clothing, when necessary. eneral hygiene onsiderations Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.					400 ppm
ComponentsValueDeterminantSpecimenSampling TimeIsopropanol (CAS 67-63-0)40 mg/lAcetoneUrine** - For sampling details, please see the source document.**propriate engineering ontrolsExplosion-proof general and local exhaust ventilation.dividual protection measures, such as personal protective equipment*Eye/face protectionWear safety glasses with side shields (or goggles).Skin protectionMear safety glasses with side shields (or goggles).OtherWear chemical resistant gloves recommended.OtherWear chemical-resistant gloves, footwear, and protective clothing appropriate for the risk of exposure. Contact health or safety professional or manufacturer for specific information.Respiratory protectionIf engineering controls do not maintain airborne concentrations below recommended exposure limits (where applicable) or to an acceptable level (in countries where exposure limits have not been established), an approved respirator must be worn. Contact health and safety professional manufacturer for specific information.Thermal hazardsWear appropriate thermal protective clothing, when necessary.emeral hygiene measing shows observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.Physical and chemical properties	ological limit values				
Isopropanol (CAS 67-63-0) 40 mg/l Acetone Urine * * - For sampling details, please see the source document. ppropriate engineering Explosion-proof general and local exhaust ventilation. ppropriate engineering Explosion-proof general and local exhaust ventilation. Description dividual protection measures, such as personal protective equipment Eye/face protection Wear safety glasses with side shields (or goggles). Skin protection Hand protection Chemical resistant gloves recommended. Other Wear chemical-resistant gloves, footwear, and protective clothing appropriate for the risk of exposure. Contact health or safety professional or manufacturer for specific information. Respiratory protection If engineering controls do not maintain airborne concentrations below recommended exposure limits (where applicable) or to an acceptable level (in countries where exposure limits have not been established), an approved respirator must be worn. Contact health and safety professional manufacturer for specific information. Thermal hazards Wear appropriate thermal protective clothing, when necessary. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. Physical and chemical properties ppearance				. .	- .
* - For sampling details, please see the source document. ppropriate engineering Explosion-proof general and local exhaust ventilation. dividual protection measures, such as personal protective equipment Eye/face protection Wear safety glasses with side shields (or goggles). Skin protection Skin protection Wear safety glasses with side shields (or goggles). Other Wear chemical resistant gloves recommended. Other Wear chemical-resistant gloves, footwear, and protective clothing appropriate for the risk of exposure. Contact health or safety professional or manufacturer for specific information. Respiratory protection If engineering controls do not maintain airborne concentrations below recommended exposure limits (where applicable) or to an acceptable level (in countries where exposure limits have not been established), an approved respirator must be worn. Contact health and safety professional manufacturer for specific information. Thermal hazards Wear appropriate thermal protective clothing, when necessary. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. Physical and chemical properties ppearance	Components	Value	Determinant	Specimen	Sampling Time
popopriate engineering introlsExplosion-proof general and local exhaust ventilation.bitExplosion-proof general and local exhaust ventilation.dividual protection measures, such as personal protective equipment Eye/face protectionWear safety glasses with side shields (or goggles).Skin protection Hand protection OtherChemical resistant gloves recommended.OtherWear chemical-resistant gloves, footwear, and protective clothing appropriate for the risk of exposure. Contact health or safety professional or manufacturer for specific information.Respiratory protection If engineering controls do not maintain airborne concentrations below recommended exposure limits (where applicable) or to an acceptable level (in countries where exposure limits have not been established), an approved respirator must be worn. Contact health and safety professional manufacturer for specific information.Thermal hazards mensiderationsWear appropriate thermal protective clothing, when necessary.Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.Physical and chemical properties opearancePhysical and chemical protecties	Isopropanol (CAS 67-63-0)	40 mg/l	Acetone	Urine	*
dividual protection measures, such as personal protective equipment Eye/face protection Wear safety glasses with side shields (or goggles). Skin protection Hand protection Hand protection Chemical resistant gloves recommended. Other Wear chemical-resistant gloves, footwear, and protective clothing appropriate for the risk of exposure. Contact health or safety professional or manufacturer for specific information. Respiratory protection If engineering controls do not maintain airborne concentrations below recommended exposure limits (where applicable) or to an acceptable level (in countries where exposure limits have not been established), an approved respirator must be worn. Contact health and safety professional manufacturer for specific information. Thermal hazards Wear appropriate thermal protective clothing, when necessary. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. Physical and chemical properties ppearance	* - For sampling details, plea	ase see the source docu	iment.		
Skin protection Hand protection Other Chemical resistant gloves recommended. Other Wear chemical-resistant gloves, footwear, and protective clothing appropriate for the risk of exposure. Contact health or safety professional or manufacturer for specific information. Respiratory protection If engineering controls do not maintain airborne concentrations below recommended exposure limits (where applicable) or to an acceptable level (in countries where exposure limits have not been established), an approved respirator must be worn. Contact health and safety professional manufacturer for specific information. Thermal hazards Wear appropriate thermal protective clothing, when necessary. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. Physical and chemical properties ppearance	ppropriate engineering ontrols	Explosion-proof gen	eral and local exh	aust ventilatio	n.
Skin protection Hand protection Other Chemical resistant gloves recommended. Other Wear chemical-resistant gloves, footwear, and protective clothing appropriate for the risk of exposure. Contact health or safety professional or manufacturer for specific information. Respiratory protection If engineering controls do not maintain airborne concentrations below recommended exposure limits (where applicable) or to an acceptable level (in countries where exposure limits have not been established), an approved respirator must be worn. Contact health and safety professional manufacturer for specific information. Thermal hazards Wear appropriate thermal protective clothing, when necessary. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. Physical and chemical properties ppearance	dividual protection measures	s, such as personal pro	otective equipme	nt	
Hand protectionChemical resistant gloves recommended.OtherWear chemical-resistant gloves, footwear, and protective clothing appropriate for the risk of exposure. Contact health or safety professional or manufacturer for specific information.Respiratory protectionIf engineering controls do not maintain airborne concentrations below recommended exposure limits (where applicable) or to an acceptable level (in countries where exposure limits have not been established), an approved respirator must be worn. Contact health and safety professional manufacturer for specific information.Thermal hazardsWear appropriate thermal protective clothing, when necessary.eneral hygiene onsiderationsAlways observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.Physical and chemical propertiesppearance	Eye/face protection	Wear safety glasses	with side shields	(or goggles).	
Hand protectionChemical resistant gloves recommended.OtherWear chemical-resistant gloves, footwear, and protective clothing appropriate for the risk of exposure. Contact health or safety professional or manufacturer for specific information.Respiratory protectionIf engineering controls do not maintain airborne concentrations below recommended exposure limits (where applicable) or to an acceptable level (in countries where exposure limits have not been established), an approved respirator must be worn. Contact health and safety professional manufacturer for specific information.Thermal hazardsWear appropriate thermal protective clothing, when necessary.eneral hygiene onsiderationsAlways observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.Physical and chemical propertiesppearance	Skin protection				
OtherWear chemical-resistant gloves, footwear, and protective clothing appropriate for the risk of exposure. Contact health or safety professional or manufacturer for specific information.Respiratory protectionIf engineering controls do not maintain airborne concentrations below recommended exposure limits (where applicable) or to an acceptable level (in countries where exposure limits have not been established), an approved respirator must be worn. Contact health and safety professional manufacturer for specific information.Thermal hazardsWear appropriate thermal protective clothing, when necessary.Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.Physical and chemical propertiesppearance		Chemical resistant g	loves recommend	ded.	
Respiratory protectionIf engineering controls do not maintain airborne concentrations below recommended exposure limits (where applicable) or to an acceptable level (in countries where exposure limits have not been established), an approved respirator must be worn. Contact health and safety professional manufacturer for specific information.Thermal hazardsWear appropriate thermal protective clothing, when necessary.Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.Physical and chemical propertiesoppearance	Other				
eneral hygiene Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. . Physical and chemical properties ppearance	Respiratory protection	If engineering contro limits (where applica been established), a	ols do not maintain able) or to an acce an approved respir	n airborne con ptable level (i	centrations below recommended exposure n countries where exposure limits have not
 and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. Physical and chemical properties ppearance 	Thermal hazards	Wear appropriate th	ermal protective c	lothing, when	necessary.
ppearance		and before eating, d	rinking, and/or sm		
ppearance	. Physical and chemical	properties			
	-	· ·			
		Liquid.			

Physical state	Liquid.
Form	Off-white liquid.
Color	Off-white.
Odor	Antiseptic odor.
Odor threshold	Not available.
рН	7
Melting point/freezing point	Not available.
Initial boiling point and boiling range	No data.
Flash point	91.0 °F (32.8 °C) Cleveland Open Cup
Evaporation rate	Not available.

Flammability (solid, gas)	
Upper/lower flammability or ex	р
Flammability limit - lower (%)	
Flammability limit - upper (%)	
Explosive limit - lower (%)	Ν
Explosive limit - upper (%)	Not a
Vapor pressure	Not availa
Vapor density	Not availabl
Relative density	Not available.
Solubility(ies)	
Solubility (water)	Slightly soluble
Partition coefficient (n-octanol/water)	Not available.
Auto-ignition temperature	Not available.
Decomposition temperature	Not available.
Viscosity	Not available.
Other information	
Percent volatile	No data.
Specific gravity	0.98
10. Stability and reactivity	/

Reactivity	The product is stable and non-reactive under normal conditions of use, storage and transport.
Chemical stability	Stable at normal conditions.
Possibility of hazardous reactions	Hazardous polymerization does not occur.
Conditions to avoid	Keep away from heat, sparks and open flame. High temperatures.
Incompatible materials	Strong oxidizing agents. Acids.
Hazardous decomposition products	Carbon oxides. Organic compounds.

11. Toxicological information

Information on likely routes of exposure

Inhalation	May cause drowsiness or dizziness.
Skin contact	Frequent or prolonged contact may defat and dry the skin, leading to discomfort and dermatitis.
Eye contact	Causes serious eye irritation.
Ingestion	Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea.
Most important symptoms/effects, acute and delayed	Causes serious eye irritation. Frequent or prolonged contact may defat and dry the skin, leading to discomfort and dermatitis. May cause drowsiness or dizziness.

Information on toxicological effects

Acute toxicity	Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea.
Addit to Alony	ingeolori may eadeb gabilenteolina intaleoli, hadeba, voniting and diarriba.

Components	Species	Test Results
Isopropanol (CAS 67-63-0)		
Acute		
Dermal		
LD50	Rabbit	12890 mg/kg
Inhalation		
LC50	Rat	17000 ppm, 4 hours (vapor)
		41.8 mg/l, 4 hours (vapor)

Components	Species	Test Results
Oral		
LD50	Rat	4720 mg/kg
Skin corrosion/irritation	Frequent or prolonged con	tact may defat and dry the skin, leading to discomfort and dermatitis.
Serious eye damage/eye irritation	Causes serious eye irritatio	on.
Respiratory or skin sensitization	ı	
Respiratory sensitization	This product is not expected	ed to cause respiratory sensitization.
Skin sensitizer	This product is not expected	ed to cause skin sensitization.
Germ cell mutagenicity	No data available to indica mutagenic or genotoxic.	te product or any components present at greater than 0.1% are
Carcinogenicity	This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA.	
OSHA Specifically Regulate	d Substances (29 CFR 1910).1001-1050)
Not listed.		
Reproductive toxicity	This product is not expected	ed to cause reproductive effects.
Specific target organ toxicity - single exposure	May cause drowsiness or o	Jizziness.
Specific target organ toxicity - repeated exposure	Not classified as a specific	target organ toxicity -repeated exposure.
Aspiration toxicity	Not expected to be an asp	iration hazard.

12. Ecological information

Ecotoxicity

The product is not classified as environmentally hazardous.

Components		Species	Test Results
Isopropanol (CAS 67-63-0)			
Aquatic			
Acute			
Crustacea	EC50	Water flea (Daphnia magna)	1400 mg/l, 48 hours
Fish	LC50	Fathead minnow (Pimephales promelas)	9640 mg/l, 96 hours
Chronic			
Crustacea	NOEC	Water flea (Daphnia magna)	30 mg/l, 21 days
rsistence and degradability	Not available.		
baccumulative potential	Not available.		
Partition coefficient n-octa	nol / water (log l	Kow)	
Isopropanol		0.05	
Bioconcentration factor (B	CF)		
Isopropanol		1	
bility in soil	Not available.		
ner adverse effects	No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.		

13. Disposal considerations

Disposal instructions	Collect and reclaim or dispose in sealed containers at licensed waste disposal site.		
Local disposal regulations	Dispose in accordance with all applicable regulations.		
Hazardous waste code	The waste code should be assigned in discussion between the user, the producer and the waste disposal company.		
Waste from residues / unused products	Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).		
Contaminated packaging	Empty containers should be taken to an approved waste handling site for recycling or disposal. Since emptied containers may retain product residue, follow label warnings even after container is emptied.		

14. Transport information

DOT	
UN number	UN1993
UN proper shipping name	Flammable liquids, n.o.s. (Isopropanol RQ = 200 LBS)
Transport hazard class(es)	
Class	3
Subsidiary risk	-
Label(s)	3
Packing group	III
Special precautions for user	
Special provisions	B1, B52, IB3, T4, TP1, TP29
Packaging exceptions	150
Packaging non bulk	203
Packaging bulk	242
ΙΑΤΑ	
UN number	UN1993
UN proper shipping name	Flammable liquid, n.o.s. (Isopropanol)
Transport hazard class(es)	
Class	3
Subsidiary risk	-
Packing group	III
Environmental hazards	No.
ERG Code	3L
Special precautions for user	Not available.
Other information	
Passenger and cargo	Allowed.
aircraft	
Cargo aircraft only	Allowed.
IMDG	
UN number	
UN proper shipping name	FLAMMABLE LIQUID, N.O.S. (Isopropanol)
Transport hazard class(es)	2
Class	3
Subsidiary risk	-
Packing group	111
Environmental hazards	
Marine pollutant	No.
EmS	F-E, <u>S-E</u>
Special precautions for user Transport in bulk according to	Not available.
Annex II of MARPOL 73/78 and	
the IBC Code	

DOT





15. Regulatory information

• •			
US federal regulations	This product is a "Hazardou Standard, 29 CFR 1910.120 All components are on the	00.	ed by the OSHA Hazard Communication
TSCA Section 12(b) Export	Notification (40 CFR 707, Su	bpt. D)	
Not regulated. CERCLA Hazardous Substa	ance List (40 CFR 302.4)		
lsopropanol (CAS 67-63 SARA 304 Emergency relea		Listed.	
Not regulated. OSHA Specifically Regulate	d Substances (29 CFR 1910	.1001-1050)	
Not listed.			
Superfund Amendments and Re		ARA)	
Hazard categories	Immediate Hazard - Yes Delayed Hazard - No Fire Hazard - Yes Pressure Hazard - No Reactivity Hazard - No		
SARA 302 Extremely hazar	dous substance		
Not listed.			
SARA 311/312 Hazardous chemical	Yes		
SARA 313 (TRI reporting) Chemical name		CAS number	% by wt.
Isopropanol		67-63-0	50
Other federal regulations			
•	n 112 Hazardous Air Pollutar	ts (HAPs) List	
Clean Air Act (CAA) Section Not regulated.	n 112 Hazardous Air Pollutar n 112(r) Accidental Release F		8.130)
Clean Air Act (CAA) Section Not regulated.			8.130)
Clean Air Act (CAA) Section Not regulated. Clean Air Act (CAA) Section			8.130)
Clean Air Act (CAA) Section Not regulated. Clean Air Act (CAA) Section Not regulated. Safe Drinking Water Act	n 112(r) Accidental Release F		8.130)
Clean Air Act (CAA) Section Not regulated. Clean Air Act (CAA) Section Not regulated. Safe Drinking Water Act (SDWA) US state regulations	n 112(r) Accidental Release F Not regulated.	Prevention (40 CFR 6	88.130) Health and Safety Code Section 11100)
Clean Air Act (CAA) Section Not regulated. Clean Air Act (CAA) Section Not regulated. Safe Drinking Water Act (SDWA) US state regulations US. California Controlled Sec Not listed.	n 112(r) Accidental Release F Not regulated. ubstances. CA Department o	Prevention (40 CFR 6	
Clean Air Act (CAA) Section Not regulated. Clean Air Act (CAA) Section Not regulated. Safe Drinking Water Act (SDWA) US state regulations US. California Controlled Se Not listed. US. Massachusetts RTK - S	n 112(r) Accidental Release F Not regulated. ubstances. CA Department o	Prevention (40 CFR 6	
Clean Air Act (CAA) Section Not regulated. Clean Air Act (CAA) Section Not regulated. Safe Drinking Water Act (SDWA) US state regulations US. California Controlled Se Not listed. US. Massachusetts RTK - S Isopropanol (CAS 67-63	n 112(r) Accidental Release F Not regulated. ubstances. CA Department o	Prevention (40 CFR 6	
Clean Air Act (CAA) Section Not regulated. Clean Air Act (CAA) Section Not regulated. Safe Drinking Water Act (SDWA) US state regulations US. California Controlled Se Not listed. US. Massachusetts RTK - S Isopropanol (CAS 67-63	n 112(r) Accidental Release F Not regulated. Jubstances. CA Department of Jubstance List -0) I Community Right-to-Know	Prevention (40 CFR 6	
Clean Air Act (CAA) Section Not regulated. Clean Air Act (CAA) Section Not regulated. Safe Drinking Water Act (SDWA) US state regulations US. California Controlled Sec Not listed. US. Massachusetts RTK - Section Isopropanol (CAS 67-63) US. New Jersey Worker and Isopropanol (CAS 67-63)	n 112(r) Accidental Release F Not regulated. Jubstances. CA Department of Jubstance List -0) I Community Right-to-Know	Prevention (40 CFR 6 f Justice (California Act	
Clean Air Act (CAA) Section Not regulated. Clean Air Act (CAA) Section Not regulated. Safe Drinking Water Act (SDWA) US state regulations US. California Controlled Se Not listed. US. Massachusetts RTK - Se Isopropanol (CAS 67-63) US. New Jersey Worker and Isopropanol (CAS 67-63)	n 112(r) Accidental Release F Not regulated. ubstances. CA Department of ubstance List -0) I Community Right-to-Know -0) nd Community Right-to-Knov	Prevention (40 CFR 6 f Justice (California Act	
Clean Air Act (CAA) Section Not regulated. Clean Air Act (CAA) Section Not regulated. Safe Drinking Water Act (SDWA) US state regulations US. California Controlled St Not listed. US. Massachusetts RTK - S Isopropanol (CAS 67-63) US. New Jersey Worker and Isopropanol (CAS 67-63) US. Pennsylvania Worker a Isopropanol (CAS 67-63)	n 112(r) Accidental Release F Not regulated. Ubstances. CA Department of Substance List OI I Community Right-to-Know OI nd Community Right-to-Know	Prevention (40 CFR 6 f Justice (California Act	
Clean Air Act (CAA) Section Not regulated. Clean Air Act (CAA) Section Not regulated. Safe Drinking Water Act (SDWA) US state regulations US. California Controlled Se Not listed. US. Massachusetts RTK - S Isopropanol (CAS 67-63) US. New Jersey Worker and Isopropanol (CAS 67-63) US. Pennsylvania Worker a Isopropanol (CAS 67-63) US. Rhode Island RTK	n 112(r) Accidental Release F Not regulated. Ubstances. CA Department of Substance List O I Community Right-to-Know O nd Community Right-to-Know	Prevention (40 CFR 6 f Justice (California Act	
Clean Air Act (CAA) Section Not regulated. Clean Air Act (CAA) Section Not regulated. Safe Drinking Water Act (SDWA) US state regulations US. California Controlled Se Not listed. US. Massachusetts RTK - S Isopropanol (CAS 67-63) US. New Jersey Worker and Isopropanol (CAS 67-63) US. Pennsylvania Worker a Isopropanol (CAS 67-63) US. Rhode Island RTK Isopropanol (CAS 67-63)	n 112(r) Accidental Release F Not regulated. ubstances. CA Department of ubstance List ·0) I Community Right-to-Know ·0) nd Community Right-to-Know ·0) ·0)	Prevention (40 CFR 6 f Justice (California Act w Law	

International Inventories

Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	Yes
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	Yes
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	No
Korea	Existing Chemicals List (ECL)	Yes
New Zealand	New Zealand Inventory	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	Yes
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes

*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s) A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

16. Other information, including date of preparation or last revision

Issue date	02-23-2015
Version #	01
Disclaimer	Prepared by: ICC The Compliance Center Inc. 1-888-442-9628 http://www.thecompliancecenter.com
	Disclaimer This Safety Data Sheet was prepared by ICC The Compliance Center Inc. using information provided by / obtained from and CCOHS' Web Information Service. The information in the Safety Data Sheet is offered for your consideration and guidance when exposed to this product. ICC The Compliance Center Inc. and expressly disclaim all expressed or implied warranties and assume no responsibilities for the accuracy or completeness of the data contained herein. The data in this SDS does not apply to use with any other product or in any other process. This Safety Data Sheet may not be changed, or altered in any way without the expressed
	knowledge and permission of ICC The Compliance Center Inc. and
Revision Information	Composition / Information on Ingredients: Ingredients Physical & Chemical Properties: Multiple Properties Transport Information: Proper Shipping Name/Packing Group
Bibliography	 ACGIH Documentation of the Threshold Limit Values and Biological Exposure Indices (2014) Canadian Centre for Occupational Health and Safety, CCInfoWeb Databases, 2014 (Chempendium, RTECs, HSDB, INCHEM) European Chemicals Bureau, Existing Chemicals Work Area, EINECS Information System, 2014. Material Safety Data Sheet from manufacturer. OECD - The Global Portal to Information on Chemical Substances - eChemPortal, 2014.

This document was created with Win2PDF available at http://www.win2pdf.com. The unregistered version of Win2PDF is for evaluation or non-commercial use only. This page will not be added after purchasing Win2PDF.